

NOVEMBER 4, 2024

Information Enclosed includes:
Robert F Kennedy Jr. Children's Health Defense
Dr. Peter McCullough Cardiologist
Sharyl Attkisson Emmy Award Winning Journalist

A MOM'S RESEARCH

INTO CHILDREN'S VACCINES

Enclosed is critical information for all parents. The information can be especially critical for parents prior to birth, as at birth two vaccines are given and most vaccines are given before one year of age. As you feel lead, pass this information along to soon-to-be-parents.

Medical disclaimer: This paper was created for informational purposes only and has no ties to any drug company or physician. The content is not intended to be a substitute for professional medical advice, diagnosis, or treatment. Always seek the advice of your physician or other qualified health provider with any questions you may have regarding a medical condition. Never disregard professional medical advice or delay in seeking it because of this paper. In addition, the writer of this paper has no financial ties to any of the suggested therapies, but is merely an advocate, trying to save lives and fight medical censorship.

A MOM'S RESEARCH

Personal Opinion: I am not a doctor, but I am a mom who deeply cares about my children. I admit I would not vaccinate my children today. Why?

1. Because I have met numerous parents whose children have debilitating autism where the parents claim it was caused by a childhood vaccine. As shown in the chart enclosed depending on the study 40% to 70% of parents of autistic children believe it was caused by a childhood vaccine. They take a healthy child in for a vaccine and then after the child may not look at them or talk.
2. Vaccine manufacturers have no liability if any children taking their product are injured. I do not believe children should have to take a product where the manufacturer has no liability.
3. Rigorous safety testing for the vaccines has not been done. Children should not have to take a product that has not been adequately safety tested.
4. Studies in the book Vax Unvax show unvaccinated children are overall significantly healthier, and in book Vax Facts unvaccinated children had 4 to 8 times - 400% to 800% better health outcomes. USA children's health has declined to the point that over 50% have chronic childhood illness. If vaccinations are helping our health, shouldn't there be a decrease in childhood health issues?
5. Many of the vaccines were rolled out long after the disease had declined to be a threat.

Childhood Vaccines: Is There More to Know?

A look at the ever increasing (required?) childhood (and under one year old) vaccine schedule with no liability to manufacturers. - For educational purposes.

Vaccine Schedule (For Full Vaccine Choice Brochure scroll to end)

HISTORY OF VACCINE SCHEDULES FOR U.S. CHILDREN

1983

Total Doses: 24

DTP	2 months
OPV	2 months
DTP	4 months
OPV	4 months
DTP	6 months
MMR	15 months
DTP	18 months
OPV	18 months
DTP	4 years
OPV	4 years
Td	15 years

1986

National Childhood Vaccine Injury Act

Compare vaccine schedules and see what happened after the passing of the NCVIA in 1986:

An ever-expanding schedule that is the most aggressive and bloated of any other developed nation on our planet.

Since vaccines are sold by corporations for profit, yet have **no liability**, it is easy to see why the U.S. vaccine schedule has exploded in this way.



*Denotes vaccine derived from aborted human fetuses
Red numbers indicate number of viral and/or bacterial strains contained

2024

Total Doses: 81 with **249** viral, bacterial and mRNA strains

Influenza 4	pregnancy	Hep A* 1	12 months
Tdap* 5	pregnancy	DTaP* 5	15 months
COVID-19 1 (mRNA)	pregnancy	Influenza 4	18 months
RSV 2	pregnancy	Hep A* 1	18 months
RSV-mAB 2	birth	Influenza 4	30 months
Hep B 1	birth	Influenza 4	42 months
Hep B 1	2 months	DTaP* 5	4 years
Rotavirus 5 (live)	2 months	IPV 3	4 years
DTaP* 5	2 months	MMR* 3 (live)	4 years
HIB 1	2 months	Varicella* 1 (live)	4 years
PCV 13	2 months	COVID-19 1 (mRNA)	5 years
IPV 3	2 months	Influenza 4	5 years
Rotavirus 5 (live)	4 months	Influenza 4	6 years
DTaP* 5	4 months	Influenza 4	7 years
HIB 1	4 months	Influenza 4	8 years
PVC 13	4 months	Influenza 4	9 years
IPV 3	4 months	HPV 9	9 years
Hep B 1	6 months	Influenza 4	10 years
DTaP* 5	6 months	HPV 9	10 years
HIB 1	6 months	Influenza 4	11 years
PCV 13	6 months	Tdap* 5	11 years
IPV 3	6 months	Meningococcal 4	11 years
Rotavirus 5 (live)	6 months	COVID-19 1 (mRNA)	12 years
Influenza 4	6 months	Influenza 4	12 years
COVID-19 1 (mRNA)	6 months	Influenza 4	13 years
Influenza 4	7 months	Influenza 4	14 years
COVID-19 1 (mRNA)	8 months	Influenza 4	15 years
COVID-19 1 (mRNA)	10 months	Influenza 4	16 years
HIB 1	12 months	Meningococcal 4	16 years
PCV 15	12 months	Influenza 4	17 years
MMR* 3 (live)	12 months	Influenza 4	18 years
Varicella* 1 (live)	12 months		

CDC childhood vaccine schedule (Link below and also above)

On link scroll down for color schedule showing how many are given at once at each age.
For example: 5 or 6 given at 2 months with DTP having 3 in 1 would make it 8 or 9 at one time.

<https://www.cdc.gov/vaccines/hcp/imz-schedules/downloads/child/0-18yrs-child-combined-schedule.pdf>

<https://www.fda.gov/vaccines-blood-biologics/vaccines/vaccines-licensed-use-united-states>

Childhood vaccine summary chart Showing lack of study

<https://icandecide.org/article/childhood-vaccine-trials-summary-chart/>

Good site on topic <https://childrenshealthdefense.org/>

Full Vaccine Schedule Never Tested

The CDC schedule has never been tested as it is given to our children. This means we have no scientific basis for declaring this schedule "safe" & little understanding of the synergistic effects of 55 adjuvants, 234 antigens including 18 live viruses, human & animal DNA & viral contaminants, & antibiotics on the health of our children. (1, 2)

Additionally, many of the individual components are not licensed for safety & are instead "generally regarded as safe." (3)

"Few published investigations had specifically examined the safety of the recommended childhood schedule as a whole." Institutes of Medicine (1)

Despite Safety & Efficacy Concerns, Vaccine Manufacturers Have Immunity From Litigious Action When Their Products Injure or Kill

While often considered modern medical miracles, vaccines are **invasive, irreversible medical procedures with known risks** (4, 5). It is these risks and the resulting litigious actions that prompted pharmaceutical companies to lobby Congress for legal immunity, without which they threatened to cease all vaccine production.

This resulted in the passing of The National Childhood Vaccine Injury Act of 1986

THE NATIONAL CHILDHOOD VACCINE INJURY ACT

This law freed vaccine manufacturers from ALL liability when injury or death following vaccination occurs. As a consequence, vaccine makers have zero incentive to make their products safe or effective since they are shielded from liability.

"No vaccine manufacturer shall be liable in a civil action for damages arising from a vaccine-related injury or death."

42 U.S. Code § 300aa-22- Standards of Responsibility


This act set up the now controversial & bureaucratic **Vaccine Injury Compensation Program** in an attempt to offer recourse to those affected by vaccine injury and death. This program established a no-fault "vaccine court" that was intended to be a quick & easy way for victims to receive compensation funded by an excise tax collected on every vaccine dose produced. Instead, what has resulted is a lengthy, burdensome, contentious process in which victims of vaccine injury are treated with contempt & disrespect (6). The majority of cases are dismissed. The ones that are not dismissed receive nominal compensation that does little to cover the costs associated with caring for the injured. Even so, as of January 1, 2024, the Program has awarded **\$5,134,788,935.74** in payouts since its creation (7).

No other product in this country is essentially mandated without consumer protections.

- (1) White paper on the Safety of the Childhood Immunization Schedule, 2014, CDC
- (2) Vaccine Safety: Virus Detection and Latency, FDA.gov
- (3) Common Ingredients in U.S. Licensed Vaccines, FDA.gov
- (4) The Childhood Immunization Schedule and Safety: Stakeholder Concerns, Scientific Evidence, and Future Studies, Institutes of Medicine, March 2013

- (5) For Parents: Vaccines for Your Children, CDC.gov
- (6) <https://www.gao.gov/assets/670/667136.pdf>
- (7) <https://www.hrsa.gov/vaccine-compensation/data/index.html>


Back of card above from Texans for Vaccine Choice states Full Vaccine Schedule Never Tested by CDC. The book below by Robert F Kennedy, Jr. (Children's Health Defense) "Vax-Unvax Let the Science Speak" addresses that issue. (New York Times Bestseller)



The Studies the CDC Refuses to Do

This book is based on over one hundred studies in the peer-reviewed literature that consider vaccinated versus unvaccinated populations. Each study is analyzed, and health differences among infants, children, and adults who have been vaccinated and those who have not are presented and put in context. Readers will find information on: The infant/child vaccination schedule - Thimerosal in vaccines - Live virus vaccines - The human papillomavirus (HPV) vaccine - Vaccination and Gulf

War illness - Influenza (flu) vaccines - Hepatitis B vaccination - The COVID-19 vaccine - Vaccines during pregnancy
Given the massive push to vaccinate the entire global population, this book is timely and necessary for individuals to make informed choices for themselves and their families.



"Vax Facts: What to consider before vaccinating at all ages & all stages of life"

Good video with author lifelong Pediatrician with practice of 15,000 patients Paul Thomas M.D. <https://live.childrenshealthdefense.org/chd-tv/shows/good-morning-chd/vax-facts--resources-for-deciding---just-a-moms-perspective/>

Quote at 13 minutes Vaccine friendly kids (with half the vaccines recommended) "had way more asthma, eczema, allergies..Neurodevelopment issues..autism, ADD...infections" of multiple types "at percentages overtime with 10 1/2 years of data...**skyrocketing for the vaccinated and barely increasing for the unvaccinated**..magnitude

differences of 4 to 8 times, **that's 400% to 800% better outcomes if you're NOT vaccinated."**


POST-LICENSURE SAFETY

CDC IMMUNIZATION SCHEDULE IN UTERO TO 12 MONTHS

1986



2024



Source: <https://www.cdc.gov/vaccines/schedules/hcp/schedule-related-resources.html>

Source for above: [CDC.gov/vaccines/schedules/hcp/schedule-related-resources.html](https://www.cdc.gov/vaccines/schedules/hcp/schedule-related-resources.html)

Source above and below: [Episode 388: Siri Testifies: New Hampshire "Post-Licensure Safety"](#)

SIRI TESTIFIES: NEW HAMPSHIRE


POST-LICENSURE SAFETY

As for what harms vaccines can cause...

Federal law provides that package inserts for vaccines should include "**only those adverse events for which there is some basis to believe there is a causal relationship between the drug and the occurrence of the adverse event.**" 21 CFR 201.57

Childhood vaccine inserts include **over 100 serious adverse events** listed by pharma because they had a "**basis to believe there is a causal relationship**"


www.icandecide.org/vaccine-safety-debate/
or www.fda.gov/vaccines-blood-biologics/vaccines/vaccines-licensed-use-united-states



"Despite the almost endless campaign by public health authorities to convince the public that vaccines do not cause autism 40% to 70% of parents depending on the study still blame vaccines for causing their child's autism." Aaron Siri, Attorney & Managing Partner Siri & Glimstad LLP at 11:20 minute The Highwire Episode 388, Siri Testifies: New Hampshire "Post-Licensure Safety" thehighwire.com

Mom's Research comment: An example to understand Autism: Mothers or parents of autistic children say the child is fine, then they take the child in for the vaccine and afterwards the child does not look at them or talk (for the rest of their life many times). They also may bang their head against the floor or wall.


EXAMPLE parents of triplets' experience with childhood vaccine (This was a slow plan with only one vaccine at this well visit.) **MUST SEE version of story at 47:10 min mark to 50:20 minute mark at link [Episode 388: Siri Testifies: New Hampshire "Post-Licensure Safety"](https://live.childrenshealthdefense.org/chd-tv/events/they-lost-their-smiles-a-mother-of-triplets-heartbreaking-story/they-lost-their-smiles-triples-story-vaxxed-2/)** also another version at link below <https://live.childrenshealthdefense.org/chd-tv/events/they-lost-their-smiles-a-mother-of-triplets-heartbreaking-story/they-lost-their-smiles-triples-story-vaxxed-2/>



Source above: Episode 388 TheHighwire.com

Figure 1.1: Increase in Autism Prevalence in the U.S. 1970 to 2017

**Autism has increased
199% since 1970**



Source: Handley (2018).

Movie VAXXED: From Coverup to Catastrophe from 2016 <https://vaxxedthemovie.com/watch/> Important to watch

VAXXED II: The People's Story – Important to watch all the way through the end Testimonials of parents and injured children and testimonials of unvaccinated families.

<https://live.childrenshealthdefense.org/chd-tv/videos/vaxxed-2/? ga=2.106259395.1900839868.1730455684-1137997402.1725201276>

In 1986 the Health and Human Service was to study whether vaccines cause all these listed below including autism.

SIRI TESTIFIES: NEW HAMPSHIRE

POST-LICENSURE SAFETY

YEAR
1986
1991
2012
2018
2019
2020
2023

TITLE III—VACCINE COMPENSATION

SEC. 301. SHORT TITLE.
This title may be cited as the "National Childhood Vaccine Injury Act of 1986".

SEC. 312. RELATED STUDIES.
(a) REVIEW OF PERTUSSIS VACCINES AND RELATED ILLNESSES AND CONDITIONS.—Not later than 3 years after the effective date of this title, the Secretary of Health and Human Services shall complete a review of all relevant medical and scientific information (including information obtained from the studies required under subsection (e)) on the nature, circumstances, and extent of the relationship, if any, between vaccines containing pertussis (including whole cell, extracts, and specific antigens) and the following illnesses and conditions:

- (1) Hemolytic anemia.
- (2) Hypsarrhythmia.
- (3) Infantile spasms.
- (4) Reye's syndrome.
- (5) Peripheral mononeuropathy.
- (6) Deaths classified as sudden infant death syndrome.
- (7) Aseptic meningitis.
- (8) Juvenile diabetes.
- (9) Autism.
- (10) Learning disabilities.
- (11) Hyperactivity.

THE HIGHWIRE
SPECIAL REPORT

The third installment of attorney Aaron Siri's expert testimony before the New Hampshire House Committee on COVID Response Efficacy. In this episode, ICAN's lead attorney exposes the shortcomings of post-licensure safety, and shatters the claim that the connection between vaccines and autism has been 'thoroughly studied.'

<https://thehighwire.com/ark-videos/siri-testifies-new-hampshire-post-licensure-safety/>

first 60 minutes

The IOM committee found the evidence is "inadequate to accept or reject" causal relationships between diphtheria toxoid-, tetanus toxoid- or acellular pertussis-containing vaccine and the following: infantile spasms; seizures; cerebellar ataxia; autism; ADEM; transverse myelitis; MS relapse in children; serum sickness; immune thrombocytopenic purpura; and SIDS.

Above shows you should not say it does NOT cause Autism because there is NOT evidence to say it does not. Freedom of Information Act – FOIA request was made to the CDC for all studies to be given to ICAN

- “All studies relied upon by CDC to claim that the DTaP vaccine does not cause autism.”
- “All studies relied upon by CDC to claim that neither Engerix-B nor Recombivax HB do not cause autism.”
- “All studies relied upon by CDC to claim that Prevnar 13 does not cause autism.”
- “All studies relied upon by CDC to claim that Hib vaccines do not cause autism.”
- “All studies relied upon by CDC to claim that inactivated polio vaccine (‘IPV’) does not cause autism.”
- “Copies of the studies the CDC relies upon to claim that the cumulative exposure of vaccines it recommends that babies be administered during the first six months of life do not cause autism.”

administered during the first six months of life do not cause autism.”

WHEREAS, after conducting a search of its records, the CDC identified the following

Evidence of Diphtheria Tetanus Pertussis Vaccination and SIDS

NeuroApnea Suspected in SIDS

Toxicology Reports 9 (2021) 1324–1335



Vaccines and sudden infant death: An analysis of the VAERS database 1990–2019 and review of the medical literature

Neil Z. Miller

Institute of Medical and Forensic Inquiry, Santa Fe, New Mexico, 87505, USA

ARTICLE INFO

Handling Editor: Dr. Aronnie Sauter

Keywords:
SIDS
VAERS
infant mortality
Vaccine
immunization
Adverse event
Etiologic toxicity

ABSTRACT

Although there is considerable evidence that a subset of infants has an increased risk of sudden death after receiving vaccines, health authorities dismissed “prophylactic vaccination” as an official cause of death, so medical examiners are compelled to meticulously and conceal vaccine-related fatalities under obscure cause-of-death classifications. In this paper, the Vaccine Adverse Event Reporting System (VAERS) database was analyzed to ascertain the onset interval of infant deaths post-vaccination. Of 2003 infant deaths reported to VAERS from 1990 through 2019, 58 % clustered within 3 days post-vaccination and 79.3 % occurred within 7 days post-vaccination, confirming that infant deaths tend to occur in temporal proximity to vaccine administration. The causes of deaths during these early post-vaccination periods were statistically significant ($p < 0.00001$). A review of the medical literature substantiates a link between vaccines and sudden unexpected infant deaths. Several theories regarding the pathogenic mechanism behind these fatal events have been proposed, including the role of inflammatory cytokines as immunomodulators in the infant models preceding an aberrant response to the accumulation of cellular debris, fatal dysregulation of respiratory control induced by adjuvants that cross the blood-brain barrier, and biochemical or immunologic toxicity due to multiple vaccines administered concurrently. While the findings in this paper are not proof of an association between infant vaccines and infant deaths, they are highly suggestive of a causal relationship.

1. Introduction

1.1. International classification of diseases

There are 130 official ways for an infant to die. These official categories of death, sanctioned by the World Health Organization (WHO) and Centers for Disease Control and Prevention (CDC), are published in the International Classification of Diseases (ICD) [1–3]. When a baby dies, coroners must choose from among these 130 categories.

The official causes of death listed in the ICD include nearly every imaginable—and tragic—possibility. In fact, previous versions of the ICD listed “prophylactic inoculation and vaccination” as a separate cause of death category, with subcategories for deaths caused by one

permanently disabled or die after receiving vaccines—the very reason Congress passed the National Childhood Vaccine Injury Act of 1986 (Public Law 99-660), which created the Vaccine Adverse Event Reporting System (VAERS) and established the National Vaccine Injury Compensation Program (NVICP).

Many parents don’t realize that when they purchase vaccines, the cost is taxed and the money (75 cents per vaccine) goes into a trust fund managed by the Department of the Treasury to compensate them if and when those vaccines seriously injure or kill their babies. As of May 1, 2021, more than \$4.5 billion was granted for thousands of injuries and deaths associated with vaccines. Numerous cases are still pending. Awards were issued for permanent injuries such as learning disabilities, seizure disorders, mental retardation, paralysis, and numerous deaths.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8255173/>

1933: Madsen reported on two infants who received DPT immunizations against pertussis shortly after birth and died within 2 hours of their second shot at ages 4 and 11 days
1946: 10-month-old twins within died within 24 hours DTP
1979: Tennessee Department of Health reported 4 sudden and unexplained infant deaths (all died within 24 hours following their first DPT immunization).
1982: 70 Clusters of cases SIDS first 2-3 weeks following DTP
1985: 6 children, five of whom died within 48 hours of immunization DTP.
1986: 150 deaths, post-DPT immunization, which had been reported by 37 authors in 12 countries; approximately 50 percent of these deaths occurred within 24 hours, 75 percent within 72 hours, and 90 percent within 1 week following DPT administration
1987: 5-month-old twins died within 3 hours of DTP
1978–1990: 350 SIDS deaths following DTP
1990–2019: “58% clustered within 3 days post-vaccination and 78.3 % occurred within 7 days post-vaccination, confirming that infant deaths tend to occur in temporal proximity to vaccine administration”.

<https://www.ncbi.nlm.nih.gov/books/NBK234368/>

(Above chart from <https://subsplash.com/calvarychapelsurfsid/media/mi/+4jntzn9>)

“The United States has the highest first-day-of-life infant mortality rate in the developed world. Each year, approximately 11,300 U.S. babies die the day they are born, which is 50% more deaths than all the other industrial countries combined!” – Maija Hahn, Children’s Health Defense



Dr. Aaby was one of five co-authors of a 2017 study of the diphtheria tetanus, and pertussis (DTP) vaccine, the most widely used vaccine on earth, which found that children who received DTP had ten times the risk of dying compared to DTP-unvaccinated children.

On March 9, 2019, Dr. Peter Aaby issued a scathing rebuke to the world's public health agencies for continuing to allow pharmaceutical companies to sell vaccines without proper safety testing. Dr. Aaby, who has authored over [300 peer-reviewed studies](#), is one of world's foremost authorities on WHO's African vaccine program and the winner of Denmark's highest honor for health care research. Dr. Aaby was one of five co-authors of a [2017 study](#) of the diphtheria tetanus, and pertussis (DTP) vaccine, the most widely used vaccine on earth, which found that children who received DTP had ten times the risk of dying compared to DTP-unvaccinated children. For thirty years, doctors, including Aaby, never noticed the danger because vaccinated children were succumbing to illnesses and infections apparently unrelated to the vaccine. It turns out that while the vaccine protected children from diphtheria, tetanus, and pertussis, it so badly weakened their immune systems that they were dying in droves from unrelated infections. The researchers concluded: "The DTP vaccine may kill more children from other causes than it saves from diphtheria, tetanus and pertussis." In March, an alarmed Aaby plead for a policy change, "Most of you think we know what our vaccines are doing. But we don't.... [We are killing children.](#)"

The world's most aggressive vaccine schedule has not given our country the world's healthiest children. We now rank [35th in overall health outcomes](#)—just behind Costa Rica, making the U.S., by most measures, including [infant mortality](#), the sickest in the developed world. In addition to those 400 chronic diseases and injuries that [FDA suspects may be vaccine related](#), the vaccine generation suffers unprecedented levels of [anxiety and depression](#) and behavioral disorders running the gamut from aggression to anorexia. Peer-reviewed [animal](#) and [human](#) studies have linked all these symptoms to vaccines. <https://childrenshealthdefense.org/news/americans-can-handle-an-open-discussion-on-vaccines-rfk-jr-responds-to-criticism-from-his-family/> link to excerpts above

I Wish I had Known -resource from Children's Health Defense below link and some information
<https://childrenshealthdefense.org/wp-content/uploads/IWishIHadKnown-Flyer-061224-1.pdf>

- **SIDS deaths frequently occur soon after the administration of vaccines at the 2 and 4-month well-child visits.**
- **Toxins (like aluminum and mercury) in vaccines often exceed federal safety guidelines, and those ingredients are linked to childhood health conditions and autoimmune diseases.**
- **The same companies that have paid over \$82 billion in fines and penalties since 2010 are the manufacturers I'm supposed to trust with my child's vaccines.**

This toxic list is especially troubling when we consider that expectant mothers are cautioned repeatedly to limit their exposure to anything that might harm the growing fetus. Vaccine ingredients don't become any less toxic once the baby is born, yet parents are expected to comply completely with the vaccine schedule, no questions asked. **Even on the day of birth, newborns are exposed to 250 micrograms of aluminum via the Hepatitis B vaccine well above the recommended limit, even for adults.**

Acute exposure and chronic retention of aluminum in three vaccine schedules and effects of genetic and environmental variation
Grant McFarland¹, Elaine La Joie², Paul Thomas³, James Lyons-Weiler⁴  




Fig. 2. Aluminum Content in Body over First Two Years for Three Vaccine Schedules.

The CDC schedule crosses the recommended limit of aluminum for an adult by recommending multiple vaccinations containing aluminum being delivered together. Note that on all days of injection the safe limit for a child is exceeded for all three schedules; this points to acute toxicity Fig. 2. dynamics "reset" on the day of injection. We model two additional factors: variation


From Google: adult toxic level of aluminum is 100 micrograms and less than 10 mcg are in a normal adult. No aluminum is needed in the body. (not like iron)

How much aluminum is in the vaccines that are routinely given to children?

1. Hep B – 250 mcg Aluminum
2. Hib – 225 mcg Aluminum
3. Pneumococcus – 125 mcg Aluminum
4. DTaP – 170 – 625 mcg Aluminum (depending on the manufacture)
5. Hep A – 250 mcg Aluminum
6. HPV – 225 mcg Aluminum
7. Pentacel (dtap, hib, & Polio combo) – 330 mcg Aluminum
8. Pediarix (dtap, hep b, & Polio combo) – 850 mcg Aluminum

***If a baby is born at 8lbs, the amount of Aluminum in the Heb B vaccine at birth is almost 3x the AI the FDA considers "safe" in other products & 14x over toxic limits for preemies.**


(Lyons-Weiler et al, J. Trace Elem. 2018)




At the 2mo, 4mo, and 6mo "WELL BABY" appointments, the CDC recommends combining vaccines that add up to more than 1,000 mcg of Aluminum.

These levels are considered unsafe and toxic for a 350lb adult.


(Yet all they say is to "give in separate legs".)



Increase in Number of Vaccines Administered from 1986 to 2017
 Charted with Increase in Chronic Illness & Developmental Delay Prevalence



Time 1:01 <https://thehighwire.com/ark-videos/siri-testifies-new-hampshire-post-licensure-safety/>



Time 1:00 <https://thehighwire.com/ark-videos/siri-testifies-new-hampshire-post-licensure-safety/>

Mom's Research Question - If vaccines work shouldn't we be seeing the opposite – less childhood illnesses – not (an explosion) of more?

Childhood vaccine summary chart Showing lack of study Repeated from page 1

<https://icandecide.org/article/childhood-vaccine-trials-summary-chart/>

VACCINE EXPERTS UNDER OATH (Good Summary)

<https://thehighwire.com/ark-videos/vaccine-experts-under-oath/> (Short clips of experts are separate below)

(In link above it is stated that US has worst first day birth mortality of all industrialized countries COMBINED. US is also one of two countries to give Hep B vaccine on day of birth.)

HEPATITIS B VACCINE SAFETY TESTED FOR JUST FIVE DAYS

Hepatitis B is given on the day of birth (US is one of two countries to do so). It is also given at 2 months and at 6 months. Therefore 3 times under 6 months. Hep B vaccine is (perhaps) needed for baby if mothers have Hep B or use intravenous drugs. But they give the vaccine to all babies. This is noted in link above.

On day 1 of babyhood the doctor's give the hepatitis B vaccine that was tested for 5 days. On this 3 minute link below see the deposition in a court of law on the Hepatitis B vaccine of the top vaccine expert Stanley Plotkin, author of the book called the Bible on Vaccines.

<https://thehighwire.com/ark-videos/hepatitis-b-vaccine-safety-tested-for-just-five-days/>

See at least the last 2 min of this 10 min link deposing Stanley Plotkin

<https://thehighwire.com/ark-videos/comparing-vaccinated-vs-unvaccinated/>

Below is list of Hep B vaccine possible adverse events listed on the insert from first link above The Highwire Episode 388

<i>Immune System Disorders</i>
Hypersensitivity reactions including anaphylactic/anaphylactoid reactions, bronchospasm, and urticaria have been reported within the first few hours after vaccination. An apparent hypersensitivity syndrome (serum-sickness-like) of delayed onset has been reported days to weeks after vaccination, including: arthralgia/arthritis (usually transient), fever, and dermatologic reactions such as urticaria, erythema multiforme, ecchymoses and erythema nodosum [see Warnings and Precautions (5.1)]. Autoimmune diseases including systemic lupus erythematosus (SLE), lupus-like syndrome, vasculitis, and polyarteritis nodosa have also been reported.
<i>Gastrointestinal Disorders</i>
Elevation of liver enzymes; constipation
<i>Nervous System Disorders</i>
Guillain-Barré syndrome; multiple sclerosis; exacerbation of multiple sclerosis; myelitis including transverse myelitis; seizure; febrile seizure; peripheral neuropathy including Bell's Palsy; radiculopathy; herpes zoster; migraine; muscle weakness; hypesthesia; encephalitis
<i>Skin and Subcutaneous Disorders</i>
Stevens-Johnson syndrome; alopecia; petechiae; eczema
<i>Musculoskeletal and Connective Tissue Disorders</i>
Arthritis
Pain in extremity
<i>Blood and Lymphatic System Disorders</i>
Increased erythrocyte sedimentation rate; thrombocytopenia
<i>Psychiatric Disorders</i>
Irritability; agitation; somnolence
<i>Eye Disorders</i>
Optic neuritis; tinnitus; conjunctivitis; visual disturbances; uveitis
<i>Cardiac Disorders</i>
Syncope; tachycardia

<https://thehighwire.com/ark-videos/proof-vaccines-dont-cause-autism/> (proves they did not do the studies)

Dr. Paul Thomas first 15 min only on financial incentives for doctors to give all vaccines on schedule

<https://live.childrenshealthdefense.org/chd-tv/shows/good-morning-chd/the-facts-about-vax/>

Routine Infant Hepatitis B Vaccination Fails to Protect into Young Adulthood

Parents Should Not Expect a Long-Term Benefit

https://petermcculloughmd.substack.com/p/routine-infant-hepatitis-b-vaccination?utm_source=post-email-title&publication_id=1119676&post_id=147382784&utm_campaign=email-post-title&isFreemail=true&r=3ctz0t&triedRedirect=true

Unnecessary, Excessive Routine Childhood Vaccination Leading to Chronic Illness

Dr. Peter McCullough with Mat Staver on Freedom Alive August 15, 2024

https://petermcculloughmd.substack.com/p/unnecessary-excessive-routine-childhood?utm_source=podcast-email&publication_id=1119676&post_id=147523682&r=3ctz0t&utm_campaign=email-play-on-substack&utm_content=watch_now_button&triedRedirect=true

By Peter A. McCullough, MD, MPH

The public is becoming acutely aware of the ever-growing list of routine childhood vaccinations on the ACIP schedule, effectively mandatory in some states to attend school. Many legacy illnesses had dramatic reductions in case count and mortality long before the introduction of vaccines including smallpox, measles, diphtheria, pertussis, and influenza. This was due to improved living conditions, sanitation, nutrition, and antibiotics. So why are healthy young babies vaccinated for adult infectious diseases of the past? Could this be causing harm?

Please join Dr. McCullough with Mat Staver of The Liberty Counsel for an issue of “Freedom Alive” dedicated to the progressively concerning routine childhood schedule. Keep in mind each individual vaccine was never studied in combination with others for the combined toxicity of co-administration, nor were they studied for cumulative hazards of serial dosing over long periods of time. This review will support parents who are choosing to “go natural” with a healthy baby born today to enjoy greater freedom from chronic health problems and neuropsychiatric illness.

Comment: Drugs are used for someone who is ill or needs them and drug makers have liability. Vaccines are given to everyone who is healthy and have no liability.

CDC STUDY FINDS ALUMINUM IN VACCINES IS ASSOCIATED WITH ASTHMA

<https://thehighwire.com/ark-videos/cdc-study-finds-aluminum-in-vaccines-is-associated-with-asthma/>

After nearly ten years of demands by top government oversight agencies and several legal correspondences by ICAN attorneys regarding the lack of safety studies comparing total health outcomes of vaccinated vs. unvaccinated kids, scientists at the Centers for Disease Control have decided to give it a whirl. Despite a poor study design, these study results cast serious doubts surrounding the safety of injected aluminum, which is present in abundant amounts in childhood vaccines. New results shed new light on the possible causes for childhood asthma and eczema.

IS ALZHEIMER'S LINKED TO ALUMINUM EXPOSURE?

<https://thehighwire.com/ark-videos/is-alzheimers-linked-to-aluminum-exposure/>

Dr. Christopher Exley, PhD, FRSB, known as "Mr. Aluminum" for his expertise on environmental aluminum, thinks he has the answer. Professor Exley discusses the shocking results of a study he conducted, which found accumulations of aluminum in the brains of patients with Alzheimer's.

Amish and Autism

The Amish do not get vaccines generally. In 2013, when this study was done the rate nationally in the US for autism was 1 in 166 children have autism (now 1 in 44). In this study of the Amish the rate was 1 in 15000 but the one Amish child with autism had been vaccinated.

<https://www.annarborholistichealth.com/autism-in-america-a-mercurial-public-health-problem>

"THE TRUTH FINDS A WAY TO BE TOLD" SHARYL ATTKISSON


<https://thehighwire.com/ark-videos/the-truth-finds-a-way-to-be-told-sharyl-attkisson/>

Five-time Emmy Award-winning investigative journalist, Sharyl Attkisson, gives a career- spanning interview, highlighting her pivotal role in breaking controversial stories from vaccine injury to government corruption. Hear why she broke away from mainstream media and why free speech in journalism is a driving force in her career.

On link: When asked, "Of all of the stories she has done, having been on the cutting edge, is there one that stands out as the most shocking revelation?" Sharyl Attkisson answers, "The vaccines and autism link and coverup that was one of the biggest stories of our time." 52:19 minutes

Follow the Science: How Big Pharma Misleads, Obscures, and Prevails

September 3, 2024 by [Sharyl Attkisson](#) (Author)



Emmy Award-winning investigative journalist and New York Times bestselling author Sharyl Attkisson exposes the corruption that has ruled the pharmaceutical industry for decades.

Through blatant lies, deep cover-ups, and high-level collusion with government and media, Big Pharma has continuously put profits over people with dangerous results. Now, with her signature investigative rigor and uncompromising commitment to the facts, Sharyl Attkisson takes readers on an shocking journey through the dark underbelly of the pharmaceutical industr

Follow the Science recounts, in exacting detail, how far the pharmaceutical industry and its supporters in medicine, media, and government will go to protect their profits. Attkisson provides shocking examples that reveal the disturbing callousness our government, public health officials, and top researchers are capable of when it comes to the most vulnerable among us. And she explains, in a graphic sense, how some of the most trusted within our society are willing to commit life-threatening ethics violations. When caught, they circle the wagons and marshal forces to defend their bad acts and take steps to cruelly silence the injured and smear those who would expose them. This book includes exclusive, eye-opening evidence including:

- Financial ties between well-known vaccine promoters and the vaccine industry
- Outrageous collusion between the news media and Big Pharma
- How Big Pharma teaches slanted information to med students and doctors
- Government officials secretly admitting vaccines caused some cases of autism
- The first child seriously injured by Covid vaccines while in Pfizer's study
- The secretive money backing seemingly independent studies and nonprofits

Follow the Science will challenge your assumptions, open your eyes, and inspire you to take action. With its powerful message of truth and justice, this book is a must-read for anyone who cares about the future of our healthcare system and their own family's health.

Mom's Research comment:

Based on information above, it seems, when taking children for vaccinations we are trusting Pharmaceutical companies.

Pharmaceutical companies have law suits and payments for fraud like link below. Many times problems do not come out for decades or 40 years like opioids which were said to not be addictive when they were. Many deaths occurred because of this fallacy.



<https://www.justice.gov/opa/pr/justice-department-announces-largest-health-care-fraud-settlement-its-history> This was 2.3 BiLLION in 2009 for marketing fraud misleading the public saying it does what it does not.

Other information <https://thehighwire.com/ark-videos/pandemic-of-lies/>

<https://thehighwire.com/ark-videos/aaron-siri-gives-testimony-on-the-floor-of-arizona-state-senate/>
<https://thehighwire.com/ark-videos/cdc-removes-claim-vaccines-do-not-cause-autism/>

For full depositions of experts go to thehighwire.com if you search Aaron Siri
<https://thehighwire.com/ark-videos/do-vaccines-cause-autism/> 5 min from 2013 on process to receive compensation if harmed by vaccine

Vaccines were rolled out after the disease had declined to be a threat.



Bottom of graph:


Despite common belief infectious disease deaths decreased 85%-90% BEFORE VACCINES were introduced in the U.S.

Diseases WITHOUT VACCINES – including Scarlet Fever, Tuberculosis, Cholera and Typhoid ~followed the SAME trend.

Bottom of graph below: Due to Sanitation and Clean Water Systems

(Charts from <https://subsplash.com/calvarychapelsurfsid/media/mi/+4jntzn9>)


Death from Common Infectious Diseases Declined 90% BEFORE Vaccines Were Introduced*



*Source:
Journal of American Academy of Pediatrics, December 2000

[LearnTheRisk.org/diseases](https://www.learntherisk.org/diseases)

Tetanus



<https://www.cdc.gov/vaccines/pubs/surv-manual/chpt16-tetanus.html>



Meningococcal

Incidence: 2021:

0.06% (209 cases)

14.34% Mortality

Rate **IF** contracted. (2021: 209 cases/30 deaths)

Prompt Treatment with Antibiotics

Sources: <https://www.cdc.gov/meningococcal/surveillance/index.html>



Pertussis

Whooping Cough

Mortality Rate: **0.053%** (3 deaths 2023 USA)

2023 Incidence: 0.0076% (5,611 per 74million US children)

CDC-Recommended Treatments:

Antibiotics

(Early Administration)

Sources: https://www.cdc.gov/pertussis/downloads/pertuss-surv-report-2023_PROVISIONAL.pdf
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4482312/>, <http://www.pnas.org/content/111/2/787>

Polio

Peak of the 1917 and 1950's outbreaks, the incidence of contracting Poliomyelitis: 1-2%

2023:

- 21 wild cases globally
- 665 cases of **VACCINE -DERIVED POLIO** cases globally.

Treatment data inconclusive.

**Potential: detox
and IVIG**

Source: www.cdc.gov, www.nature.com/articles/d41586-023-01953-7



In the 1950s, summer outbreaks of Polio in the USA caused tens of thousands of cases, leaving hundreds paralysed or dead. 'Second only to the atomic bomb', polio was 'the thing that Americans feared the most'.




DDT production increased tenfold to more than 100 million pounds by the beginning of the 1950s.




DDT vs Polio (1945-1953)

In the graph below, I provide confirmation of Biskind's observations for 1945-1953, in terms of polio incidence and pesticide production. I have utilized pesticide data from Hayes and Laves which they had derived from US Tariff Commission data. Polio incidence data was gathered from US Vital Statistics [3][4]. Although I argue herein against Hayes' characterization of Biskind's work, credit goes to Hayes for publishing arcane pesticide data. All graphs refer to paralytic polio.



DDT spraying became a nationwide campaign across the USA during the same period as the Polio outbreak and vaccination campaign.

Was the American Polio outbreak in the 1950's really Polio?



<https://www.westonaprice.org/health-topics/vaccinations/polio-vaccines-medical-triumph-or-medical-mishap/#gsc.tab=0>

"DDT is good for me-e-e!" zzz



The great expectations held for DDT have been realized. During 1946, exhaustive scientific tests have shown that, when properly used, DDT kills a host of destructive insect pests, and is a benefactor of all humanity.

Pennwalt produces DDT and its products in all standard forms and is now one of the country's largest producers of this amazing insecticide. Today, everyone can enjoy added comfort, health and safety through the insect-killing powers of Pennwalt DDT products . . . and DDT is only one of Pennwalt's many chemical products which benefit industry, farm and home.

GOOD FOR FRUITS—Ripen apples, peaches faster that are free from naughty worms and beetles resulting from DDT dusts and sprays.

GOOD FOR STEAKS—Red steaks become succulent . . . for it's a scientific fact that compared to untreated cattle—fed steaks gain up to 30 pounds extra when protected from horn flies and many other pests with DDT insecticides.

KILLING SALT
CHEMICALS
27 Years' Service to Industry • Farm • Home

GOOD FOR THE HOME—Helps to make bedrooms, nurseries, and family rooms more comfortable. Kills dangerous insect pests. See how DDT Powder and Sprays are directed . . . they work the legs "bite the dust!"

GOOD FOR BABIES—Up to 20% more milk . . . more butter . . . more cheese . . . tests prove greater milk production when dairy cows are protected from the annoyance of many insects with DDT insecticides like Kunt-Obt Stock and Barn Spray.

GOOD FOR ROW CROPS—25 more barrels of potatoes per acre . . . several DDT tests have shown crop increases like that. DDT dusts and sprays help tough farmers grow those gains along the way.

KNOWLEDGE INDUSTRY—Food processing plants, laundries, dry cleaning plants, hotels, homes of industry gain effective bug control, more pleasant work conditions with Pennwalt DDT products.



"We have described the syndrome as follows: . . . In acute exacerbations, mild clonic convulsions involving mainly the legs, have been observed. Several young children exposed to DDT developed a limp lasting from 2 or 3 days to a week or more. . . ."

More information: See Vaccine Choice Brochure below in pictures.

TexansforVaccineChoice.com

Parentsforhealthchoice.com


Childrenshealthdefense.org

NVIC.org

Physiciansforinformedconsent.org

Thehighwire.com

Important facts about vaccines
Texansforvaccinechoice.com
Full Brochure in pictures below




HISTORY OF VACCINES

Historically, vaccines were not as important to the decline of deaths from infectious disease as people think. Many of the diseases that plagued the U.S. in the early 1900s were declining in number before the vaccines to prevent them were even developed. This trend was likely due to factors such as better sanitation, cleaner water, and better health care.

Source: Historical Statistics of the United States, Millennial Edition Online


MEASLES

(deaths per million people)



WHOOPING COUGH

(deaths per million people)



Even though the death rate for most diseases plummeted during the first half of the 20th century, fear continued and led to the development of vaccines. During the 1950s and 1960s, vaccines were developed for polio, diphtheria, pertussis (whooping cough), tetanus, measles, mumps and rubella. This list of recommended vaccines remained fairly unchanged from the 1960s to the 1980s. During those decades, pharmaceutical companies had to weigh vaccine profits against potential losses from vaccine injury lawsuits. That all changed with the 1986 vaccine act.



Vaccines are the only product in this country that are mandated for children without normal consumer protections.

THE NATIONAL CHILDHOOD VACCINE ACT OF 1986.

In the 1980s, pharmaceutical companies began lobbying Congress for legal immunity from vaccine injury claims, which were making vaccines unprofitable. In response, Congress declared that vaccines were "unavoidably unsafe," and passed the National Childhood Vaccine Injury Act to shield vaccine makers from liability. This Act also created the Vaccine Adverse Event Reporting System (VAERS) and the National Vaccine Injury Compensation Program (VICP).

It is estimated that less than 1% of vaccine injuries and deaths are ever reported to VAERS. In addition, the monetary compensation in the VICP "vaccine court" is limited to relatively nominal amounts. Still, the VICP has paid out almost \$5 billion since inception. These injury awards are funded through tax collected on every vaccine dose, hence they are funded by the American people rather than the vaccine manufacturers.

<https://www.nvic.org/law-policy-federal/vaccine-injury-compensation>


WHAT'S IN A VACCINE?

A vaccine contains much more than the deactivated or dead virus for the disease that the vaccine is intended to prevent. There is a "cocktail" of other ingredients which serve as preservatives, adjuvants or cell culture material. Manufacturers discovered early on that the dead virus by itself did not activate the immune system enough to confer immunity, so they added "adjuvants". Adjuvants are substances like mercury and aluminum which are toxic to the body and are used to "ramp up" the immune response.

A SHORT LIST OF COMMON VACCINE INGREDIENTS:

- Aluminum (a neuro-toxin used as an adjuvant)
- Formaldehyde (preservative)
- Cells from animals such as monkey, pig, cow, chicken and chicken eggs (used to culture cells during production)
- Fetal tissue from aborted babies (also used for cell culture)
- Live & de-activated viruses (such as the measles virus)
- Mercury (thimerosal) (used as preservative and adjuvant)
- Monosodium glutamate (MSG) (stabilizer)
- Excipient oils (stabilizers)
- A variety of other chemicals, antibiotics, and preservatives



<https://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/B/excipient-table-2.pdf>



ALUMINUM & MERCURY

Prior to the year 2000, mercury was used as an adjuvant and/or preservative in most vaccines. Around that time, concerns arose about the toxicity of mercury, so it was removed from all vaccines except the multi-dose flu shot.

Most vaccines now use aluminum as an adjuvant in place of mercury. However, aluminum is also a neurotoxin and questions remain as to how much is truly safe. A recent study found that a median weight baby receiving vaccinations according to the CDC schedule is over the "safe" aluminum limit 70% of the days in its first seven months. This study stated, "We cannot stress how important it is that infants avoid aluminum from all sources, at all doses, due to the realities of cumulative risk from cumulative exposure. Selecting brands of vaccines that contain lower amounts of aluminum and avoiding the combination vaccines that have the greatest amounts of aluminum would be advisable for reducing toxicity."



<https://www.sciencedirect.com/science/article/pii/S0946672X19305784?via%3Dihub>

VACCINE TESTING & APPROVAL

Weak Safety Studies

Vaccines are technically classified as "biologics" rather than drugs and are therefore not subject to the same scrutiny as other pharmaceutical products. Most drug trials involve thousands of patients, use saline or sugar pills as a placebo, and follow the patients for several years to check for auto-immune diseases and cancer. In contrast, vaccines are routinely tested on just a few hundred people for just days or weeks and do not use a true placebo as a control.

<https://childrenshealthdefense.org/news/rubber-stamping-the-fda-and-vaccines-conflicts-of-interest-undermine-childrens-health-part-iv/>

Listed in almost every manufacturer's insert is the phrase: "This vaccine has not been tested for carcinogenic or mutagenic potential or for impairment of fertility." Such studies have not been done because the CDC feels that "observing vaccinated children for many years to look for long term health outcomes would not be practical." The CDC also refuses to compare the health outcomes of vaccinated children with those of unvaccinated children, claiming it would be unethical to withhold vaccines from children in order to create an unvaccinated control group. They ignore the fact that this control group already exists and this study could be easily done. Consequently, the CDC currently has no data to show whether or not any vaccine or vaccine ingredient has the potential to cause cancer or other long-term health problems.

<https://www.fda.gov/media/75191/download>
<https://childrenshealthdefense.org/news/research-reviews/fully-vaccinated-vs-unvaccinated-a-summary-of-the-research/>

» NO TRUE PLACEBO

Despite being the gold standard of scientific study, vaccine safety trials DO NOT employ the use of INERT placebos. Instead, placebo control groups receive other vaccines, injections of all the ingredients of the vaccine minus the antigen, or injections of a vaccine adjuvant (such as aluminum). All of these so called "placebo" substances have the potential to create side effects on their own and are not fit for safety studies.

<https://www.icandecide.org/wp-content/uploads/2019/09/ICAN-Reply-1.pdf>

Vaccines are Primarily Tested Individually

Per the recommended schedule, babies and children often receive multiple shots at each doctor's visit. For example, at the vulnerable age of 2 months, babies are expected to get a total of 6 shots. These 6 shots contain aluminum and other ingredients that may be below the FDA limit individually, but not collectively. According to the Institute of Medicine, "few published investigations have studied the safety of the recommended childhood [vaccine] schedule as a whole."

https://www.cdc.gov/vaccinesafety/pdf/whitepapersafety_web.pdf



A testing example:

The clinical trials for Merck's Hepatitis B vaccine monitored fewer than 150 infants and children for only five days AND used other vaccine ingredients as the placebo. Despite this less-than-rigorous testing, this Hep B vaccine is routinely given to all babies on the day of birth. You can find these testing details in the vaccine package insert.

<https://www.fda.gov/media/74274/download>

THE CDC, BIG PHARMA & THE MEDIA

CDC is financially tied to vaccine makers

The recommended vaccine schedule is set by the Centers for Disease Control (CDC). The financial ties between this government organization and the vaccine industry are well-documented. The CDC's involvement with vaccine manufacturers includes patenting, licensing agreements and collaboration on projects to develop new vaccines. In fact, the CDC and its employees hold over 50 profit-generating patents relating to vaccines, a clear conflict of interest.

<https://childrenshealthdefense.org/news/close-ties-and-financial-entanglements-the-cdc-guaranteed-vaccine-market/>

There also appears to be a "revolving door" between the CDC and various pharmaceutical companies. Perhaps the most notable example is that the head of the CDC from 2002 to 2009, Julie Gerberding, left her government job to go work as president of Merck's \$5 billion global vaccine division. More recently in January 2018, CDC Director Brenda Fitzgerald was forced to resign after it was revealed that she bought tens of thousands of shares of stock in companies including Merck, one of the largest vaccine manufacturers in the U.S.

<https://healthimpactnews.com/2015/former-cdc-director-julie-gerberding-sells-38368-shares-of-merck-stock-for-2-3-million/>

Vaccine makers have been convicted of fraud

The four companies that make virtually all the recommended vaccines are now infamous for their convictions regarding dangerous drugs. Collectively they have paid over \$35 billion since 2009 for defrauding regulators, lying to and bribing government officials, falsifying science, and leaving a trail of injuries and deaths from products they knew to be dangerous. This is a short list of pharmaceutical companies and their products that have caused injury or death to consumers: Vioxx (Merck), Eliquis & Chantix (Pfizer), Plavix (Sanofi) and Advair (GSK). Should we assume that these companies are more honorable in making vaccines, a product for which they cannot be sued?

<https://www.citizen.org/wp-content/uploads/2408.pdf>

The Media's Role

One might wonder why you rarely hear negative facts about vaccines from the media. The answer may be just as simple as "follow the money." Pharmaceutical companies spend over \$6 billion a year in media advertising and were the top industry segment in TV advertising in 2018 - ahead of both the auto and food industries. It is understandably in the media's best interest to be loudly pro-vaccine and pro-pharma.


<https://www.marketingcharts.com/charts/top-spending-industries-national-advertising-q2-2018/attachment/smi-top-spenders-on-us-national-advertising-in-q2-july2018>

We would never mandate universal use of a medication due to well-documented risks and complications surrounding most pharmaceutical products. Why would we do so with vaccines?

Informed Vaccine Choice is Essential

Like any medical procedure, taking a vaccine must be VOLUNTARY. As stated by the Nuremberg Code, medical choices should be made "without the intervention of any element of force, fraud, deceit, duress, over-reaching, or other ulterior form of constraint or coercion."

In addition, all known risks and benefits must be fully DISCLOSED, and the participant should be informed as to what recourse is available to them should they experience any adverse reaction.



INFANT MORTALITY IN THE U.S.

Compared to other developed countries, the U.S. has the most aggressive vaccination schedule during the first year of life, both in terms of number of shots and timing. Sadly, the U.S. also has a higher infant mortality rate than any of the world's other wealthy countries - even higher than some of the poorest nations.

<https://www.washingtonpost.com/news/wonk/wp/2014/09/29/our-infant-mortality-rate-is-a-national-embarrassment/>

A study reported by the National Institute of Health found significant correlation between the number of vaccines and the infant mortality rates of countries. For example, Canada requires almost as many vaccines as the U.S. and also has a high infant mortality rate. In contrast, Japan and Finland have the lowest number of vaccines and have the lowest infant mortality rates in the world. In Finland, children receive 11 shots by age 6. For U.S. children, the CDC recommends 34 shots from birth to age 6.

<https://www.vox.com/health-care/2018/1/8/16863656/childhood-mortality-united-states>

S.I.D.S

A U.S. Department of Health study reported a connection between Sudden Infant Death Syndrome (S.I.D.S.) and the vaccines routinely given in the U.S. at two and four months of age. This is the time frame that most S.I.D.S. deaths occur and a reported 61% of babies had received the vaccines within 12 hours to 2 weeks before death.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3170075/>



Safety of vaccinating Pregnant women has not been established

Although the CDC recommends that all pregnant women be given the flu and the Tdap (Tetanus, Diphtheria and Pertussis) vaccines during every pregnancy, there is NO data demonstrating that this is safe for mothers or fetuses. A recent Freedom of Information Act request asking the FDA to provide any safety studies on which they base this recommendation resulted in an FDA reply saying, "We have no records responsive to your requests."

<https://www.icandecide.org/wp-content/uploads/2019/11/ICAN-v-FDA-Resolved-Court-Filed-Copy-Copy.pdf>

HEP B FOR NEWBORNS

Hepatitis B is a disease acquired via sexual contact or needle sharing with an infected person. It can also be passed from an infected mother to her baby at birth. Only a very small percentage of mothers are infected and it's easy to diagnose with a simple screening. Despite this fact, the Hep B vaccine is routinely given to ALL babies on the day of birth.

One danger with this vaccine is that the dose is not adjusted for the baby's weight - it is the same amount given to older children. While the aluminum in this vaccine is under the toxic limit for an adolescent, it is up to 17 times the limit for a baby, depending on its weight.

<https://childrenshealthdefense.org/child-health-topics/why-does-the-cdc-recommend-hepatitis-b-vaccination-for-infants/>

More information:

TexansforVaccineChoice.com

Parentsforhealthchoice.com

Childrenshealthdefense.org

NVIC.org

Physiciansforinformedconsent.org

Thehighwire.com